



# HP Omen 15-ax280nd Hard Drive Replacement

Replace the internal SATA hard drive with a new one.

Written By: Cas Eliëns



## INTRODUCTION

Use this guide to replace the internal 2.5" SATA hard drive in your HP Omen laptop with another one.

---



### TOOLS:

- [Phillips #0 Screwdriver](#) (1)
  - [iFixit Opening Picks set of 6](#) (1)
-





## Step 1 — Turn off your laptop




- Disconnect all cables from your laptop

## Step 2 — Unscrew the back cover



- Remove 10 screws from the back cover
  - 2 large Philips #0 screws
  - 8 smaller Philips #0 screws


## Step 3 — Remove back cover



 The laptop scratches easily, be careful when removing the back cover.

- Turn the laptop over and open the lid
- Remove the back cover
  - Place an opening pick in between the back cover and main body of the laptop
  - Work your way around the body, snapping open the clips holding the cover in place from the inside
- Turn the laptop over again and remove the back cover

## Step 4 — Remove hard drive



- The hard drive is located in the back right of the laptop
- A cable runs over the left drive bar, make sure to move it out of the way before removing the drive.
- Pull the back of the drive up and backwards to remove it from the laptop.
- ☑ Make sure to disconnect the SATA power and data cables before fully removing the drive.
- The drive bars can be removed without any tools, simply pull them to the side.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-10-13 09:27:02 AM.